

BARSAV

AIR ELECTRONIC & DEFENCE Corp.

Sept 2024

COMPANY INFORMATION

- BARSAV was established in 2016, Ankara - Türkiye.
- Company is located in the industrial zone and has an 400 m2 production area.
- We have a controlled zone and has national and NATO facility security certificate.
- We produce the products in accordance with FAA, ICAO, EN, TSE standards and related specifications are based on the **lowest cost and the highest efficiency** to produce reliable products.

COMPANY INFORMATION



1. TS EN ISO 9001: 2015 QUALITY MANAGEMENT SYSTEM
2. TS EN ISO 14001: 2015 ENVIRONMENTAL MANAGEMENT SYSTEM
3. TS EN ISO 45001: 2018 OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT SYSTEM
4. TS EN ISO/IEC 27001:2022 INFORMATION SECURITY MANAGEMENT SYSTEM



Runway, taxiway, heliport lights,
Guidance Signs CCR,
Installation Materials Certificates.

**OUR
PRODUCT
QUALITY
CERTIFICATES**

- Airport Runway Lighting Systems
- Heliports Lighting Systems
- Infrastructure Systems For Airports & Helipads
- Aircraft Arresting Systems (AAS) Parts
- Air Force Command Disc Installation Machine
- ILS For MILES Firing Simulation & Army Simulators System



We produce the airport runway lighting and helicopter runway lighting systems, in military and civil airports and in military and civilian helipads:

- Determination of the locations of ports,
- Approach aids,
- Auxiliary systems that guide pilots and ground vehicles with runway and taxiway lights






We have the ability to produce and develop all kinds of lighting materials that used in military and civilian helicopters and airports.

- RUNWAY END LIGHTS
- APPROACH LIGHTS
- TAXIWAY LIGHTS
- ISOLATION TRANSFORMERS
- AIRFIELD LIGHT BASES
- PAPI – PRECISION APPROACH PATH INDICATOR
- AIRFIELD GUIDANCE SIGNS
- REIL – SFLS
- CONSTANT CURRENT REGULATOR

AIRCRAFT ARRESTING SYSTEMS (AAS) PARTS




PARTS NO : BRS-DBM-v130
NCAGE : TG793
NSN : 1730270668062



DISC INSTALLATION MACHINE

Specifications:

- 13HP gasoline engine
- DBM 1" and 1,25" inches two disk units can be installed within 18 or 27 seconds
- Easy to transfer with trailer
- 40 liter hydraulic oil capacity
- Total weight is 350 kg
- Maximum working pressure is 250 bar



integrated
LOGISTIC
SUPPORT

- MILES firing simulation
- Tank simulator
- Shooting Simulator

THANK YOU for YOUR TIME